

ملخص:

تهدف هذه الدراسة إلى الكشف عن فعالية برنامج علاجي لتحسين المستوى الفونولوجي والمستوى المعجمي لدى حالات تعاني من حبسة بروكا، وقد استخدمنا المنهج الشبه التجريبي من خلال تصميم المجموعة الواحدة، بداية بالقياس القبلي لمجموعة الدراسة ثم تطبيق البرنامج العلاجي عليها، وبعدها القيام بالقياس البعدي.

اشتملت مجموعة الدراسة على 4 حالات مشخصة بحبسة بروكا، تم اختيارهم بطريقة قصدية، وقد اعتمدت الباحثة في دراستها على الأدوات التالية: اختبار التعبير الشفهي من بطارية MTA 2002، البرنامج العلاجي، من تصميم الباحثة. ومن خلال ما أجريناه في بحثنا، توصلنا إلى أن هناك فعالية للبرنامج العلاجي المقترح في تحسين المستوى الفونولوجي والمستوى المعجمي لدى حبسي بروكا.

الكلمات المفتاحية: البرنامج العلاجي، المستوى الفونولوجي، المستوى المعجمي، حبسة بروكا.

Résumé:

Cette étude vise à révéler l'efficacité d'un programme thérapeutique pour améliorer le niveau phonologique et lexical dans les cas souffrant d'aphasie de Broca. Nous avons utilisé l'approche quasi-expérimentale à travers une conception en groupe unique, en commençant par la pré-mesure du groupe d'étude. , puis appliquer le programme thérapeutique, puis réaliser la post-mesure. Le groupe d'étude comprenait 4 cas diagnostiqués avec l'aphasie de Broca, choisis intentionnellement. Dans son étude, la chercheuse s'est appuyée sur les outils suivants : le test d'expression orale de la batterie MTA 2002 et le programme thérapeutique conçu par la chercheuse. Grâce à ce que nous avons mené dans notre recherche, nous avons conclu que le programme thérapeutique proposé est efficace pour améliorer le niveau phonologique et lexical chez l'aphasique de Broca.

Mots clés: programme thérapeutique, niveau phonologique, niveau lexical, aphasie de Broca.

Abstract :

This study aims to reveal the effectiveness of a therapeutic program to improve the phonological and lexical levels in cases suffering from Broca's aphasia. We used the quasi-experimental approach through a single-group design, starting with the pre-measurement of the study group, then applying the therapeutic program to it, and then conducting the post-measurement. The study group included 4 cases diagnosed with Broca's aphasia, who were chosen intentionally. The researcher relied in her study on the following tools: the oral expression test from the MTA 2002 battery, the therapeutic program, designed by the researcher. Through what we conducted in our research, we concluded that there is effectiveness for the proposed therapeutic program in improving the phonological and lexical levels to Broca's aphasic.

Keywords: therapeutic program, phonological level, lexical level, Broca's aphasia.